

SHARP

MX-6070N/MX-5070N
MX-4070N/MX-3570N/MX-3070N
MX-4060N/MX-3560N/MX-3060N
Digital Full Colour Multifunctional System



Model shown MX-6070N

A3 COLOUR MFPs WITH
ADVANCED FEATURES FOR
CONNECTED TEAMS

Knowledge drives success /This is Why our MFPs optimise the way you create, manage and share information.



Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally FriendlyOptimising Business
EfficiencyOptimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications

You want to work smarter /This is Why you should empower your team with our next-generation technology.

These next generation MFPs break new ground in office efficiency and ease of use. With advanced ergonomic design and forward-thinking connectivity, they're designed to perform right at the heart of your information infrastructure, reducing costs and optimising workflows.



Empowering your team

Whichever model you choose - 60, 50, 40, 35 or 30 pages per minute - our smart technology will help everyone in your team work the way they want to.

An advanced Single Sign-On capability improves productivity by connecting people to their favourite cloud storage services such as Google Drive™, SharePoint® and OneDrive®, direct from the control panel. Printing directly from the cloud and scanning documents from the MFP up to the cloud takes just moments. Sign on once, access everything!

Click to learn more:

[▶ MX-6070N](#)[▶ MX-5070N](#)[▶ MX-4070N](#)[▶ MX-3570N](#)[▶ MX-3070N](#)[▶ MX-4060N](#)[▶ MX-3560N](#)[▶ MX-3060N](#)[CLICK TO SEE OUR VIDEO](#)



These MFPs are packed full of the features you need for maximum productivity. As you approach it, a motion sensor will detect you and the MFP will awake from sleep mode, ready to process any jobs with no waiting at all.

CLICK TO SEE OUR
'MOTION SENSOR'
VIDEO CLIP

MOTION SENSOR WAKES THE
MFP FROM SLEEP MODE



A large, colour touch screen that tilts for easy viewing gives you intuitive access to every function, with an embedded 'quick help' guide to illustrate each step.

OPERATION PANEL TILTS TO
SUIT USER REQUIREMENTS

The screen lets you drag and drop menu icons for faster access to your frequently used functions and supports multi-touch pinch and spread gestures. A preview function enables easy viewing and editing of documents prior to printing.

And as no one likes interruptions, you'll be reassured to know that you can even top up the toner* and paper supplies without pausing the print/copy run.

CLICK TO SEE OUR 'HOME SCREEN
CUSTOMISATION' VIDEO CLIP



HOME PAGE WITH EASY CUSTOMISATION



Time is often limited /This is Why our MFPs are designed to do so much more.

All MFPs can print, copy and scan. But our range of next generation MFPs will do so much more. They can act as a print server to give you 'Pull Printing' capability. That means you can use the convenient Print Release feature to print your documents at any Sharp MFP that's on your network*¹.

Not only does this ensure confidentiality because your documents are never left unattended, but it adds convenience by eliminating the need to carry piles of paper around with you.

CLICK TO SEE OUR
'PRINT RELEASE'
VIDEO CLIP

First class scanning

Scanning is very fast at 200*²/80*³ impressions per minute and the Auto Colour Mode lets you process mixed batches of colour and black & white documents automatically, even if they are of different sizes and weights. Just stack them in the 150-sheet Duplex Single Pass Feeder (DSPF)*² or the 100-sheet Reversing Single Pass Feeder (RSPF)*³ and let the MFP do the rest.



FAST SCANNING VIA THE DSPF OR RSPF

*¹ The Print Release function can be used from any of five network-connected printers.

*² MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N only.

*³ MX-4060N/MX-3560N/MX-3060N only.

Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally Friendly

Optimising Business
Efficiency

Optimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications



A powerful Optical Character Recognition feature enables you to scan your document in a range of formats including fully searchable PDF files as well as editable Microsoft Office format such as Word, PowerPoint or Excel. The need to re-type documents that you only have in hard copy is completely eliminated whilst ease of accessing and finding information is vastly improved.



CONVERT SCANNED DOCUMENTS
INTO EDITABLE OFFICE FILES
AND SEARCHABLE PDFS WITH OCR

If you have Microsoft Office files on a USB memory stick you can simply plug into the MFP, select your files and start printing. Scanning to the memory stick, or to the cloud or for immediate output, is just as easy.



SIMPLY PLUG YOUR USB MEMORY STICK
INTO THE MFP AND START PRINTING

CLICK TO SEE OUR
'USB DIRECT PRINT'
VIDEO CLIP



You focus on results not technology /This is Why our MFPs support the way you like to work.

Flexibility in document handling means greater versatility in your output. Paper trays accommodate up to SRA3 media with weights up to 300 g/m². And you can choose from a wide range of finishing options including saddle-stitching, manual and stapleless stapling.

CLICK TO SEE OUR
'STAPLING' VIDEO CLIP



STAPLELESS STAPLING
IS AVAILABLE FOR UP
TO 4 SHEETS OF PAPER

Excellence comes as standard

All eight models produce rich, vibrant colour with 1200 x 1200 dpi resolution, and our Auto Process Control and 'developer refresh' system guarantee page after page of consistently excellent output.

Made for a mobile world

Work anywhere at any time. Sharpdesk Mobile lets everyone in your team print from and scan to their phones and tablets over your wireless network, and you can print from any App which supports Google Cloud Print*. Industry leading security features keep your data and network safe and secure.



MANUAL STAPLING
FOR UP TO 40
SHEETS (80 g/m²)

*Not available in every country

Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

**Secure &
Environmentally Friendly**

Optimising Business
Efficiency

Optimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications



Tough security

When you make your MFP and all the documents in your cloud available to everyone, you'll want to know that they are safe and secure. So you'll be pleased to know that our latest MFPs come with all the security features of our earlier models, plus S/MIME for secure email communications, advanced data protection and high security logins and user authentication.

Energy efficient

Low melt toner, configurable and automatic power on/off settings, Eco Scan and a short warm up time are just some of the many features that ensure extremely low energy consumption.

In addition, the front panel display will prompt users to select the most environmentally friendly option before starting a job and the toner cartridge automatically ejects only when the toner has been fully exhausted, eliminating waste.



**CLICK TO SEE OUR
'AUTO TONER EJECT'
VIDEO CLIP**

Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally Friendly

**Optimising Business
Efficiency**

Optimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications



Effective teams need efficient technology /This is Why our next-generation MFPs are optimised for productivity.

The smart technology of these next generation MFPs will transform the productivity of any workgroup. Your whole team will find that printing, copying, scanning and finishing documents is fast, easy and efficient. But that's just the start.

If you couple one of these MFPs with Cloud Portal Office and one or more of our Optimised Software Solutions, you'll see productivity elevated to an even higher level.




Model shown MX-3560N

Cloud Portal Office

Our award-winning cloud-based document management system lets you capture, store, manage, share and retrieve all of your business documents safely and securely, from any web enabled device including phones, tablets, PCs, Sharp MFPs and our BIG PAD interactive display solutions.

When enabled on one of these new MFPs, everyone gets on-demand, walk-up access to every document they've stored in the cloud. Just log on at the control panel, browse and print. You can also scan automatically indexed documents directly to a folder in the cloud, and send email alerts to colleagues who need them, all from the MFP.



CLICK TO LEARN MORE

CLOUD READY MFP

Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally Friendly

Optimising Business
Efficiency

**Optimised Software
Solutions**

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options


Configuration Examples

Specifications



Optimised Software Solutions

We created our range of Optimised Software Solutions to help you reduce costs, increase efficiency and improve security. Do more with your new Sharp MFP and boost your productivity by adding one or more of these optional solutions:



[CLICK TO LEARN MORE](#)

Our **Optimised Printing Solutions** help you monitor and manage your print and copy usage, so you can eliminate unauthorised use, track and recover costs and reduce waste.

Our **Optimised Scanning Solutions** save time and prevent costly errors by simplifying and automating the capture, storage and sharing of documents, regardless of their format or purpose.

Our **Optimised Mobile Solutions** help people to connect tablets, phones and laptops simply and securely, so they're always in touch.

Our **Optimised Workflow Solutions** help reduce costs and streamline repetitive tasks, restoring the business productivity you need to achieve and maintain profitable growth.

All this, plus the power of these new MFPs will enable you to optimise your workforce productivity and enhance your profitability.

Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally Friendly

Optimising Business
Efficiency

Optimised Software
Solutions


Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications





Capacity & Connectivity Options

1. MX-DE25 Stand with 550-Sheet Paper Drawer

550 sheets*¹, SRA3 to A5R (60 - 300 g/m²)

2. MX-DE26 Stand with 2 x 550-Sheet Paper Drawer

550 sheets*¹ each for lower and upper trays, SRA3 to A5R
(60 - 300 g/m²)

3. MX-DE27 Stand with 3 x 550-Sheet Paper Drawer

550 sheets*¹ each for lower and upper trays, SRA3 to A5R
(60 - 300 g/m²)

4. MX-DE28 Stand with 550 + 2,100-Sheet Paper Drawer

Upper tray: SRA3 – A5R, 550 sheets*¹ (80 g/m²)
Lower tray (Left): A4, 1,200 sheets*¹ (60 - 105 g/m²)
Lower tray (Right): A4 - B5, 900 sheets*¹ (60 - 105 g/m²)

5. MX-DE29 550-Sheet Paper Drawer

550 sheets*¹, SRA3 to A5R (60 - 300 g/m²)

6. MX-LC17 Large Capacity Tray (A4)

3,000 sheets*¹, A4 - B5 (60 - 220 g/m²)

7. MX-UT10 Utility Table

Printing

MX-PF10 Barcode Font Kit

Enables barcode printing

Faxing

MX-FX15 Fax Expansion Kit

MX-FWX1 Internet Fax Expansion Kit

Scanning

AR-SU1 Stamp Unit

Marks already scanned documents for checking

Sharpdesk Licenses

MX-USX1/X5

1/5-License Kit

MX-US10/50/A0

10/50/100-License Kit

Sharp OSA®

MX-AMX1 Application Integration Module

Security

MX-FR52U*² Data Security Kit

Commercial Version

*¹ Number of sheets based on 80 g/m². *² Available at a later date.



Finishing Options

8. MX-LT10 Long Paper Feeding Tray

Recommended for banner printing

9. MX-TR19 Exit Tray Unit

10. MX-FN27 Inner Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 500-sheet paper capacity*¹

Stapling capacity: max. 50-sheet multi-position staple*¹

Staple position: 3 locations (front, rear or 2 point stitching)

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m²),
40 sheets (80 g/m²)

Stapleless capacity: max.5-sheet (64 g/m²), 4 sheet (65 – 81.4 g/m²),
3 sheet (81.5 – 105 g/m²)

Stapleless position: 1-point at rear (Slant), A3 - B5

Optional Punch Module for MX-FN27:

MX-PN14C - 2/4 Hole Punch Module

MX-PN14D - 4 Hole Wide Punch Module

11. MX-RB25 Paper Pass Unit

Required when using MX-FN28, MX-FN29, MX-FN30 & MX-FN31

12. MX-TR20 Job Separator Tray

Requires MX-TU16 Exit Tray Cabinet

13. MX-TU16 Exit Tray Cabinet

14. MX-FN29 1k Saddle Stitch Finisher

A3W - A5R (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max.1,000-sheet paper capacity*¹

Stapling capacity: max. 50-sheet multi-position staple*¹

Staple position: 1-point at front (Flat), 1-point at back (Flat),
2 point stitching

Saddle stitch tray (lower): 7 sets (11-15 sheets), 10 sets (6-10 sheets),
20 sets (1-5 sheets). 15 sheets max per set

15. MX-FN28 1k Finisher

A3W - A5R (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 1,000-sheet paper capacity*¹

Stapling capacity: max. 50-sheet multi-position staple*¹

Staple position: 1-point at front (Flat), 1-point at back (Flat),
2-point stitching

Optional Punch Module for MX-FN29 & MX-FN28:

MX-PN15C - 2/4 Hole Punch Module

MX-PN15D - 4 Hole Wide Punch Module

16. MX-FN31 3k Saddle Stitch Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max. 3,000-sheet paper capacity*¹

Stapling capacity: max. 65-sheet multi-position staple*¹

Staple position: 1-point at front (Slant), 1-point at back (Slant),
2 point stitching

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m²),
40 sheets (80 g/m²)

Stapleless capacity: max.5-sheet (64 g/m²), 4 sheet (65 – 81.4 g/m²),
3 sheet (81.5 – 105 g/m²)

Stapleless position: 1-point at rear (Slant), A3 - B5

Saddle stitch tray (lower): 10 sets (11-15 sheets),

15 sets (6-10 sheets), 25 sets (1-5 sheets). 20 sheets max per set

17. MX-FN30 3k Finisher

A3 - B5 (offset/staple), SRA3 - A5R (non offset)

Offset tray (upper): max.3,000-sheet paper capacity*¹

Stapling capacity: max. 65-sheet multi-position staple*¹

Staple position: 1-point at front (Slant), 1-point at back
(Slant), 2 point stitching

Manual Stapling: 1-point at rear (Flat), 45 sheets (64 g/m²),
40 sheets (80 g/m²)

Stapleless capacity: max.5-sheet (64 g/m²), 4 sheet (65 – 81.4 g/m²),
3 sheet (81.5 – 105 g/m²)

Stapleless position: 1-point at rear (Slant), A3 - B5

Optional Punch Module for MX-FN31 & MX-FN30:

MX-PN16C - 2/4 Hole Punch Module

MX-PN16D - 4 Hole Wide Punch Module

*¹ Number of sheets based on 80 g/m².

Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally Friendly

Optimising Business
Efficiency

Optimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications



MX-3560N BASE UNIT
JOB SEPARATOR TRAY
STAND WITH 3 X 550-SHEET
PAPER DRAWERS
EXIT TRAY UNIT



MX-4070N BASE UNIT
INNER FINISHER
STAND WITH 550 +
2,100-SHEET
PAPER DRAWERS
EXIT TRAY UNIT



MX-6070N BASE UNIT
SADDLE STITCH FINISHER +
PAPER PASS UNIT
STAND WITH 550 + 2,100-SHEET
PAPER DRAWERS
EXIT TRAY UNIT
LARGE CAPACITY TRAY

Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally Friendly

Optimising Business
Efficiency

Optimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications



Specifications

General

Network Printer

Copier

Network Scanner

Wireless LAN

Document Filing

Fax

Dimensions (MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N)

Dimensions (MX-4060N/MX-3560N/MX-3060N)

CLICK THE SPECIFICATION BUTTONS
FOR FURTHER INFORMATION

SHARP

Inspiring ideas from technology

www.sharp.co.uk

Notes

^{**1} Long-edge feeding. ^{**2} Only short-edge feeding can be used with A5 paper. ^{**3} At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ^{**4} HDD capacity depends on procurement and sourcing status. ^{**5} Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. ^{**6} Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. ^{**7} Colour only. ^{**8} Not applicable to Software AP mode. ^{**9} Storage capacity will vary depending on the type of document and the scan settings. ^{**10} Some features require option(s). ^{**11} Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation June 2016. Ref: MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N/MX-4060N/MX-3560N/MX-3060N Interactive Brochure Job: (17463). All trademarks acknowledged. E&OE.



Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally FriendlyOptimising Business
EfficiencyOptimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications



Specifications

General

Network Printer

Copier

Network Scanner

Wireless LAN

Document Filing

Fax

Dimensions (MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N)

Dimensions (MX-4060N/MX-3560N/MX-3060N)

CLICK THE SPECIFICATION BUTTONS
FOR FURTHER INFORMATION

| Engine speed (ppm/cpm) (Max) | A4* ¹ | A3 | SRA3 |
|--|--|----|------|
| MX-6070N | 60 | 30 | 29 |
| MX-5070N | 50 | 26 | 24 |
| MX-4070N/MX-4060N | 40 | 20 | 18 |
| MX-3570N/MX-3560N | 35 | 18 | 16 |
| MX-3070N/MX-3060N | 30 | 16 | 15 |
| Control panel display | 10.1-inch colour LCD touchscreen | | |
| Paper size (Min – Max) | SRA3 – A5* ² | | |
| Paper weight (g/m ²) | | | |
| Tray | 60 – 300 | | |
| Multi-bypass | 55 – 300 | | |
| Paper capacity (Std – Max) | | | |
| Sheets | 650 – 6,300 | | |
| Drawers | 1 – 4 (plus bypass tray) | | |
| Warm-up time * ³ (seconds) | | | |
| MX-6070N/MX-5070N | 15 | | |
| MX-4070N/MX-3570N/MX-3070N | 10 | | |
| MX-4060N/MX-3560N/MX-3060N | 10 | | |
| Memory (GB) | | | |
| Copier/Printer (shared) | 5 | | |
| HDD* ⁴ | 250 | | |
| Power requirements | Rated local AC voltage $\pm 10\%$, 50/60 Hz | | |
| Power consumption (kW) (Max) | | | |
| MX-6070N/MX-5070N | 2.07 (220 to 240V) | | |
| MX-4070N/MX-3570N/MX-3070N | 1.84 (220 to 240V) | | |
| MX-4060N/MX-3560N/MX-3060N | 1.84 (220 to 240V) | | |
| Dimensions (mm) (W x D x H)* ⁵ | | | |
| MX-6070N/MX-5070N | 616 x 660 x 838 | | |
| MX-4070N/MX-3570N/MX-3070N | 616 x 660 x 838 | | |
| MX-4060N/MX-3560N/MX-3060N | 608 x 650 x 834 | | |
| Weight (kg) | | | |
| MX-6070N/MX-5070N | 90 | | |
| MX-4070N/MX-3570N/MX-3070N | 87 | | |
| MX-4060N/MX-3560N/MX-3060N | 79 | | |

SHARP

Inspiring ideas from technology

www.sharp.co.uk

Notes

*¹ Long-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. *⁴ HDD capacity depends on procurement and sourcing status. *⁵ Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁶ Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. *⁷ Colour only. *⁸ Not applicable to Software AP mode. *⁹ Storage capacity will vary depending on the type of document and the scan settings. *¹⁰ Some features require option(s). *¹¹ Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation June 2016. Ref: MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N/MX-4060N/MX-3560N/MX-3060N Interactive Brochure Job: (17463). All trademarks acknowledged. E&OE.



Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure & Environmentally Friendly

Optimising Business Efficiency

Optimised Software Solutions

Configuration Diagram

Capacity & Connectivity Options

Finishing Options

Configuration Examples

Specifications



Specifications

- General
- Network Printer
- Copier
- Network Scanner
- Wireless LAN
- Document Filing
- Fax
- Dimensions (MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N)
- Dimensions (MX-4060N/MX-3560N/MX-3060N)

CLICK THE SPECIFICATION BUTTONS
FOR FURTHER INFORMATION

| | |
|--------------------|---|
| Resolution (dpi) | 1,200 x 1,200, 600 x 600, 9,600 (equivalent) x 600 |
| Interface | USB 2.0, 10Base-T/100Base-TX/1000Base-T |
| Supported OS | Windows Server® 2008, 2008R2, 2012, 2012R2, Windows Vista®, Windows® 7, 8, 8.1, 10, Mac OS X 10.4, 10.5, 10.6, 10.7, 10.8, 10.9, 10.10, 10.11 |
| Network protocols | TCP/IP (IPv4 & IPv6) |
| Printing protocols | LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, FTP for downloading print files, IPP, SMB, WSD |
| PDL | PCL 6 emulation, Adobe® PostScript®3™ |
| Available fonts | 80 fonts for PCL, 139 fonts for Adobe PostScript 3 |

SHARP

Inspiring ideas from technology

www.sharp.co.uk

Notes

^{**1} Long-edge feeding. ^{**2} Only short-edge feeding can be used with A5 paper. ^{**3} At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ^{**4} HDD capacity depends on procurement and sourcing status. ^{**5} Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. ^{**6} Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. ^{**7} Colour only. ^{**8} Not applicable to Software AP mode. ^{**9} Storage capacity will vary depending on the type of document and the scan settings. ^{**10} Some features require option(s). ^{**11} Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation June 2016. Ref: MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N/MX-4060N/MX-3560N/MX-3060N Interactive Brochure Job: (17463). All trademarks acknowledged. E&OE.



Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally Friendly

Optimising Business
Efficiency

Optimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications



Specifications

| |
|---|
| ▶ General |
| ▶ Network Printer |
| ▶ Copier |
| ▶ Network Scanner |
| ▶ Wireless LAN |
| ▶ Document Filing |
| ▶ Fax |
| ▶ Dimensions (MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N) |
| ▶ Dimensions (MX-4060N/MX-3560N/MX-3060N) |

CLICK THE SPECIFICATION BUTTONS
FOR FURTHER INFORMATION

| | | |
|------------------------------------|---|------------|
| Original paper size (Max) | A3 | |
| First copy time** (seconds) | Full colour | B/W |
| MX-6070N/MX-5070N | 4.8 | 3.7 |
| MX-4070N/MX-3570N/MX-3070N | 6.7 | 4.7 |
| MX-4060N/MX-3560N/MX-3060N | 6.7 | 4.7 |
| Continuous copies (Max) | 9,999 | |
| Resolution (dpi) | | |
| Scan (colour) | 600 x 600 | |
| Scan (B/W) | 600 x 600, 600 x 400 | |
| Print | 1,200 x 1,200, 600 x 600, 9,600 (equivalent) x 600 (depending on copy mode) | |
| Gradation levels | 256 | |
| Zoom range (%) | 25 – 400, (25 – 200 using DSPF/RSPF) in 1% increments | |
| Preset copy ratios (Metric) | 10 ratios (5R/5E) | |

SHARP


Inspiring ideas from technology

www.sharp.co.uk

Notes

*¹ Long-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. *⁴ HDD capacity depends on procurement and sourcing status. *⁵ Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁶ Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. *⁷ Colour only. *⁸ Not applicable to Software AP mode. *⁹ Storage capacity will vary depending on the type of document and the scan settings. *¹⁰ Some features require option(s). *¹¹ Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation June 2016. Ref: MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N/MX-4060N/MX-3560N/MX-3060N Interactive Brochure Job: (17463). All trademarks acknowledged. E&OE.



Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure & Environmentally Friendly

Optimising Business Efficiency

Optimised Software Solutions

Configuration Diagram

Capacity & Connectivity Options

Finishing Options

Configuration Examples

Specifications



Specifications

| |
|---|
| General |
| Network Printer |
| Copier |
| Network Scanner |
| Wireless LAN |
| Document Filing |
| Fax |
| Dimensions (MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N) |
| Dimensions (MX-4060N/MX-3560N/MX-3060N) |

CLICK THE SPECIFICATION BUTTONS
FOR FURTHER INFORMATION

| | | |
|---------------------------------------|--|-----------|
| Scan method | Push scan (via control panel) Pull scan (TWAIN-compliant application) | |
| Scan speed** ⁶ (ipm) (Max) | One-sided | Two-sided |
| MX-6070N/MX-5070N | 100 | 200 |
| MX-4070N/MX-3570N/MX-3070N | 100 | 200 |
| MX-4060N/MX-3560N/MX-3060N | 80 | 25 |
| Resolution (dpi) (Max) | Push scan 100, 150, 200, 300, 400, 600 Pull scan 75, 100, 150, 200, 300, 400, 600 50 to 9,600 dpi via user setting | |
| File formats | TIFF, PDF, PDF/A, encrypted PDF, compact PDF*, JPEG*, XPS, searchable PDF, Microsoft® Office (pptx, xlsx, docx), text (TXT), rich text (RTF) | |
| Scan destinations | Scan to e-mail, desktop, FTP server, network folder (SMB), USB memory, HDD | |
| Scanner utility | Sharpdesk | |

SHARP

Inspiring ideas from technology

www.sharp.co.uk

Notes

*¹ Long-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. *⁴ HDD capacity depends on procurement and sourcing status. *⁵ Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁶ Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. *⁷ Colour only. *⁸ Not applicable to Software AP mode. *⁹ Storage capacity will vary depending on the type of document and the scan settings. *¹⁰ Some features require option(s). *¹¹ Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation June 2016. Ref: MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N/MX-4060N/MX-3560N/MX-3060N Interactive Brochure Job: (17463). All trademarks acknowledged. E&OE.





Specifications

- General
- Network Printer
- Copier
- Network Scanner
- Wireless LAN
- Document Filing
- Fax
- Dimensions (MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N)
- Dimensions (MX-4060N/MX-3560N/MX-3060N)

| | |
|----------------------|--|
| Compliant regulation | IEEE802.11n/g/b |
| Access mode | Infrastructure mode, Software AP mode |
| Security | WEP, WPA/WPA2-mixed PSK, WPA/WPA2-mixed EAP*, WPA2, PSA, WPA2 EAP* |

CLICK THE SPECIFICATION BUTTONS
FOR FURTHER INFORMATION

SHARP

Inspiring ideas from technology

www.sharp.co.uk

Notes

*1 Long-edge feeding. *2 Only short-edge feeding can be used with A5 paper. *3 At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. *4 HDD capacity depends on procurement and sourcing status. *5 Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *6 Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. *7 Colour only. *8 Not applicable to Software AP mode. *9 Storage capacity will vary depending on the type of document and the scan settings. *10 Some features require option(s). *11 Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation June 2016. Ref: MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N/MX-4060N/MX-3560N/MX-3060N Interactive Brochure Job: (17463). All trademarks acknowledged. E&OE.



Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally Friendly

Optimising Business
Efficiency

Optimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications



Specifications

General

Network Printer

Copier

Network Scanner

Wireless LAN

Document Filing

Fax

Dimensions (MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N)

Dimensions (MX-4060N/MX-3560N/MX-3060N)

Document filing capacity**9

Main & custom folders
Quick file folder

Pages

20,000
10,000

Files

3,000
1,000

Stored jobs**10

Copy, print, scan, fax transmission

Storage folders

Quick file folder, main folder, custom folder (max. 1,000)

Confidential storage

Password protection (for main & custom folders)

CLICK THE SPECIFICATION BUTTONS
FOR FURTHER INFORMATION

SHARP


Inspiring ideas from technology

www.sharp.co.uk

Notes

**1 Long-edge feeding. **2 Only short-edge feeding can be used with A5 paper. **3 At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. **4 HDD capacity depends on procurement and sourcing status. **5 Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. **6 Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. **7 Colour only. **8 Not applicable to Software AP mode. **9 Storage capacity will vary depending on the type of document and the scan settings. **10 Some features require option(s). **11 Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation June 2016. Ref: MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N/MX-4060N/MX-3560N/MX-3060N Interactive Brochure Job: (17463). All trademarks acknowledged. E&OE.



Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally Friendly

Optimising Business
Efficiency

Optimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications



Specifications

| |
|---|
| General |
| Network Printer |
| Copier |
| Network Scanner |
| Wireless LAN |
| Document Filing |
| Fax |
| Dimensions (MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N) |
| Dimensions (MX-4060N/MX-3560N/MX-3060N) |

| | |
|---|---|
| Compression method | MH/MR/MMR/JBIG |
| Communication protocol | Super G3/G3 |
| Transmission time** ¹¹ (seconds) | 2 |
| Modem speed (bps) | 33,600 – 2,400 with automatic fallback |
| Transmission resolution (dpi) | 203.2 x 97.8 (Std) / 406.4 x 391 (Ultra Fine) |
| Recording width | A3 – A5 |
| Memory (GB) | 1 (built-in) |

CLICK THE SPECIFICATION BUTTONS
FOR FURTHER INFORMATION

SHARP

Inspiring ideas from technology

www.sharp.co.uk

Notes

^{**1} Long-edge feeding. ^{**2} Only short-edge feeding can be used with A5 paper. ^{**3} At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. ^{**4} HDD capacity depends on procurement and sourcing status. ^{**5} Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. ^{**6} Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. ^{**7} Colour only. ^{**8} Not applicable to Software AP mode. ^{**9} Storage capacity will vary depending on the type of document and the scan settings. ^{**10} Some features require option(s). ^{**11} Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation June 2016. Ref: MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N/MX-4060N/MX-3560N/MX-3060N Interactive Brochure Job: (17463). All trademarks acknowledged. E&OE.



Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally Friendly

Optimising Business
Efficiency

Optimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications




Specifications

| |
|---|
| General |
| Network Printer |
| Copier |
| Network Scanner |
| Wireless LAN |
| Document Filing |
| Fax |
| Dimensions (MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N) |
| Dimensions (MX-4060N/MX-3560N/MX-3060N) |

CLICK THE SPECIFICATION BUTTONS
FOR FURTHER INFORMATION

Model shown MX-4070N



* 1,648 mm when finisher tray and exit tray are extended.

Shown with options.

SHARP


Inspiring ideas from technology

www.sharp.co.uk

Notes

*¹ Long-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. *⁴ HDD capacity depends on procurement and sourcing status. *⁵ Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁶ Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. *⁷ Colour only. *⁸ Not applicable to Software AP mode. *⁹ Storage capacity will vary depending on the type of document and the scan settings. *¹⁰ Some features require option(s). *¹¹ Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation June 2016. Ref: MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N/MX-4060N/MX-3560N/MX-3060N Interactive Brochure Job: (17463). All trademarks acknowledged. E&OE.



Overview

Smarter Technology

High Productivity

OCR & Office Direct Print

Advanced Functionality

Secure &
Environmentally Friendly

Optimising Business
Efficiency

Optimised Software
Solutions

Configuration Diagram

Capacity &
Connectivity Options

Finishing Options

Configuration Examples

Specifications




Specifications

| |
|---|
| General |
| Network Printer |
| Copier |
| Network Scanner |
| Wireless LAN |
| Document Filing |
| Fax |
| Dimensions (MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N) |
| Dimensions (MX-4060N/MX-3560N/MX-3060N) |

CLICK THE SPECIFICATION BUTTONS
FOR FURTHER INFORMATION

Model shown MX-3560N



* 1,648 mm when finisher tray and exit tray are extended.

Shown with options.

SHARP

Inspiring ideas from technology

www.sharp.co.uk

Notes

*¹ Long-edge feeding. *² Only short-edge feeding can be used with A5 paper. *³ At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. *⁴ HDD capacity depends on procurement and sourcing status. *⁵ Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment. *⁶ Based on Sharp's A4 standard chart, using document feeder and long-edge feeding. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. *⁷ Colour only. *⁸ Not applicable to Software AP mode. *⁹ Storage capacity will vary depending on the type of document and the scan settings. *¹⁰ Some features require option(s). *¹¹ Based on Sharp's standard chart with approx. 700 characters (A4 long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Design and specifications are subject to change without prior notice. All information was correct at time of print. The ENERGY STAR logo is a certification mark and may only be used to certify specific products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. Windows, Windows NT, Windows XP and Windows Vista are registered trademarks of Microsoft Corporation. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the U.S. and/or other countries. All other company names, product names and logos are trademarks or registered trademarks of their respective owners. ©Sharp Corporation June 2016. Ref: MX-6070N/MX-5070N/MX-4070N/MX-3570N/MX-3070N/MX-4060N/MX-3560N/MX-3060N Interactive Brochure Job: (17463). All trademarks acknowledged. E&OE.

